



Includes:

- Important Safety Information
- Operating Instructions
- Maintenance and Storage

KVF750 4x4 EPS

KVF750 4x4

All Terrain Vehicle

Read this manual carefully. It contains safety information.

A child under 16 years old should never be allowed to operate this vehicle.

OWNER'S MANUAL

ENGLISH

All Terrain Vehicle Owner's Manual

Quick Reference Guide

This Quick Reference Guide will assist you in finding the information you're looking for.

GENERAL INFORMATION

BREAK-IN

HOW TO RIDE

SAFE OPERATION

MAINTENANCE AND ADJUSTMENT

STORAGE

TROUBLESHOOTING GUIDE

A Table of Contents is included after the Foreword.

Whenever you see the symbols shown below, heed their instructions! Always follow safe operating and maintenance practices.

DANGER

HAZARD

Failure to heed DANGER.

WHAT CAN HAPPEN

DANGER indicates a hazardous situation which, if not avoided, will result in death or serious injury.

HOW TO AVOID THE DANGER

Read all **DANGERS** in this manual carefully and for your safety be sure to follow their instructions.

WARNING

HAZARD

Failure to heed WARNING.

WHAT CAN HAPPEN

WARNING indicates a hazardous situation which, if not avoided, could result in death or serious injury.

HOW TO AVOID THE HAZARD

Read all **WARNINGS** in this manual carefully and for your safety be sure to follow their instructions.

NOTICE

NOTICE is used to address practices not related to personal injury.

NOTE

- *This symbol indicates points of particular interest for more efficient and convenient operation.*

IMPORTANT

Off-road vehicle riding is a wonderful sport, and we hope you will enjoy it to the fullest.

Read this manual carefully and completely before starting your new Kawasaki. It contains important safety information.

Never operate an ATV without proper instruction. Ask an authorized dealer for training courses, and where available, it is recommended to take the course before actually riding the ATV.

Never allow a child under the age of 16 years to operate this ATV. Use of this ATV by children under 16 years of age can lead to severe injury or death of the child. Even youths starting at age 16 may not have the skills, abilities, or judgment needed to operate this ATV safely.

Therefore youths starting at age 16 should have adult supervision even after they attend a rider training course. And parents should never allow continued use of this ATV if the youth does not have the abilities and maturity to operate it safely.

Failure to follow the warnings contained in this manual can result in **SERIOUS INJURY** or **DEATH**.

To protect the future of your sport, make sure you use your vehicle legally, show concern for the environment, and respect the rights of other people.

If improperly conducted, the sport has the potential to cause environmental problems as well as conflicts with other people. Responsible use of your off-road vehicle will ensure that these problems and conflicts do not occur.

SAFE RIDING INFORMATION

AN ATV IS NOT A TOY AND CAN BE HAZARDOUS TO OPERATE. An ATV handles differently from other vehicles including motorcycles and cars. A collision or rollover can occur quickly, even during routine maneuvers such as turning and driving on hills or over obstacles, if you fail to take proper precautions.

SEVERE INJURY OR DEATH can result if you do not follow these instructions:

- Read this manual and all labels carefully and follow the operating procedures described.
- The Owner's Manual should be kept in the waterproof plastic bag and stored in the storage area provided.
- Never operate an ATV without proper instruction. Ask an authorized dealer for training courses, and where available, it is recommended to take the course before actually riding the ATV.
- Never allow a child under age 16 to operate this ATV.
- Never carry a passenger on an ATV.
- Never operate an ATV on any paved surface, including but not limited to sidewalks, drives and parking lots.
- Always operate your ATV in accordance with local/national regulations.
- Never operate an ATV without wearing an approved motorcycle helmet that fits properly. You should also wear eye protection (goggles or face shield), gloves, boots, long-sleeved shirt or jacket, and long pants.
- Never consume alcohol or drugs before or while operating this ATV. Alcohol and drugs impair your judgment and reaction time.
- Before starting: put transmission in neutral and check the throttle control for proper operation.
- Remember to apply the parking brake before getting off your ATV.
- Never operate at excessive speeds. Always go at a speed that is proper for the terrain, visibility and operating conditions, and your experience.
- Never attempt wheelies, jumps, or other stunts.
- Always inspect your ATV each time you use it to make sure it is in safe operating condition. Always follow the inspection and maintenance procedures and schedules described in this manual.
- Always keep both hands on the handlebars and both feet on the footboards of the ATV during operation.
- Always go slowly and be extra careful when operating on unfamiliar terrain. Always be alert to changing terrain conditions when operating the ATV.
- Never operate on excessively rough, slippery or loose terrain until you have learned and practiced the skills necessary to control the ATV on such terrain. Always be especially cautious on these kinds of terrain.
- Always follow proper procedures for turning as described in this manual. Practice turning at low speeds before attempting to turn at faster speeds. Do not turn at excessive speed.

- Never operate the ATV on hills too steep for the ATV or for your abilities. Practice on smaller hills before attempting larger hills.
- Always follow proper procedures for climbing hills as described in this manual. Check the terrain carefully before you start up any hill. Never climb hills with excessively slippery or loose surfaces. Shift your weight forward. Never open the throttle suddenly or make sudden gear changes. Never go over the top of any hill at high speed.
- Always follow proper procedures for going down hills and for braking on hills as described in this manual. Check the terrain carefully before you start down any hill. Shift your weight backward. Never go down a hill at high speed. Avoid going down a hill at an angle that would cause the vehicle to lean sharply to one side. Go straight down the hill where possible.
- Always follow proper procedures for crossing the side of a hill as described in this manual. Avoid hills with excessively slippery or loose surfaces. Shift your weight to the uphill side of the ATV. Never attempt to turn the ATV around on any hill until you have mastered the turning technique described in this manual on level ground. Avoid crossing the side of a steep hill if possible.
- Always use proper procedures if you stall or roll backwards when climbing a hill. To avoid stalling, use proper gear and maintain a steady speed when climbing a hill. If you stall or roll backwards, follow the special procedure for braking described in this manual. Dismount on the uphill side or to a side if pointed straight uphill. Turn the ATV around and remount, following the procedure described in this manual.
- Always check for obstacles before operating in a new area. Never attempt to operate over large obstacles, such as large rocks or fallen trees. Always follow proper procedures when operating over obstacles as described in this manual.
- Always be careful when skidding or sliding. Learn to safely control skidding or sliding by practicing at low speeds and on level, smooth terrain. On extremely slippery surfaces, such as ice, go slowly and be very cautious in order to reduce the chance of skidding or sliding out of control.
- Never operate an ATV in fast flowing water or in water deeper than that specified in this manual. Remember that wet brakes may have reduced stopping ability. Test your brakes after leaving water. If necessary, apply them several times to let friction dry out the linings.
- Always be sure there are no obstacles or people behind you when you operate in reverse. When it is safe to proceed in reverse, go slowly.
- Always use the size and type tires specified in this manual. Always maintain proper tire pressure as described in this manual. Type of tire and inflation can affect vehicle handling.
- A tire pressure gauge is provided in the tool kit container. Keep it with the vehicle at all times.
- Never modify an ATV through improper installation or use of accessories. Installation of accessory items may affect vehicle handling. Refer to the Loading Information chapter in this manual.

- Never exceed the stated load capacity for an ATV. Cargo should be properly distributed and securely attached. Reduce speed and follow instructions in this manual for carrying cargo or pulling a trailer. Allow greater distance for braking.
- Preserve the environment, ride responsibly and always know and obey laws and regulations governing ATV operation.
- Refueling: Shut engine off and make sure the area is well ventilated and free from any source of flame or sparks.
- Use an antenna flag in hilly terrain and sand dune areas.

FOREWORD

Congratulations on your purchase of a new Kawasaki ATV. It is the result of Kawasaki's engineering expertise and a tradition of manufacturing high-quality recreational products.

Please read this Owner's Manual carefully before starting your new ATV so that you will be thoroughly familiar with the proper operation of your vehicle's controls, its features, capabilities, and limitations. This manual offers many safe riding tips, but its purpose is not to provide instruction in all the techniques and skills required to ride an ATV safely. Kawasaki strongly recommends that all operators of this vehicle enroll in an ATV rider training program to attain awareness of the mental and physical requirements necessary for safe ATV operation.

To ensure a long, trouble-free life for your ATV, give it the proper care and maintenance described in this manual. For those who would like more detailed information on their ATVs, a Service Manual is available for purchase from any authorized Kawasaki ATV dealer. The Service Manual contains detailed disassembly and maintenance information. Those who plan to do their own work should, of course, be competent mechanics and possess the special tools described in the Service Manual.

Keep this Owner's Manual aboard your ATV at all times so that you can refer to it whenever you need information. This manual should be considered a permanent part of the ATV and should remain with the ATV when it is sold.

All rights reserved. No part of this publication may be reproduced without our prior written permission.

This publication includes the latest information available at the time of printing. However there may be minor differences between the actual product and illustrations and text in this manual.
All products are subject to change without prior notice or obligation.

KAWASAKI HEAVY INDUSTRIES, LTD.
Motorcycle & Engine Company

© 2012 Kawasaki Heavy Industries, Ltd.

Jan. 2012. (2)

TABLE OF CONTENTS

SPECIFICATIONS	15	Fuel Tank	49
DECLARATION OF CONFORMITY	18	Fuel	49
SERIAL NUMBER LOCATIONS	20	Ignition Switch	52
LOCATION OF LABELS	21	Left Handlebar Switches	53
LOCATION OF PARTS	27	Light/Dimmer Switch:	53
LOADING INFORMATION	30	Engine Stop Switch:	53
GENERAL INFORMATION	33	Reverse Power Assist Switch (Override):	54
Power Outlet Connector	33	Starter Button:	54
Auxiliary Electrical Accessory Connector	34	Horn Button:	54
Multifunction Meter	35	Shift Lever	55
Speedometer:	37	High Gear:	55
km/h-mph Display:	37	Low Gear:	55
Fuel Level Gauge Symbol:	38	Reverse Gear:	55
Clock:	38	Variable Front Differential Control Lever	57
Odometer:	39	Selectable 2WD/4WD Shift Switch	58
Trip Meters AB:	39	Throttle Lever	59
Hour Meter:	40	Throttle Limiter	59
2WD/4WD Indicator Light:	40	Seat	61
EPS Warning Light: (For model equipped		Storage Box	62
with EPS)	42	Tool Kit	63
Engine Warning Light:	42	Trailer Hitch Bracket	63
CVT Check Indicator Light:	42	Winch Installation	64
Oil Pressure Warning Light:	43	BREAK-IN	66
Coolant Temperature Warning Light:	43	HOW TO RIDE	67
Reverse Indicator Light:	43	Daily Safety Checks	67
Neutral Indicator Light:	43	Starting the Engine	69
Electric Power Steering for model equipped		Moving Off	70
with EPS	44	Shifting Gears	70
Brake Levers and Pedal	44	2WD/4WD Shifting	71
Brake Lever Lock (Parking Brake)	47	Variable Limited Slip Front Differential	73
Front and Rear Carriers	48	Braking	74

Stopping the Engine	76
Parking the ATV	76
Stopping the ATV in an Emergency	78
SAFE OPERATION	79
Read the Owner's Manual	79
Obey Local Laws	80
Adult Supervision	80
Beginning Riders	81
Off-Road Use Only	82
Dress Properly	83
Operator Only	84
Ride Carefully and with Good Judgement	85
Never Drink and Drive	86
Keep Your Feet on the Footboards and Hands on the Handlebars	87
Before Starting the Engine	88
Use the Parking Brake	88
Modifications and Accessories	89
Loading Your ATV	90
Perform the Daily Safety Checks	92
Tire Air Pressure	93
Riding Terrain	94
Riding in Reverse	96
Riding in "4WD"	98
Turning the Vehicle	99
Climbing Hills	101
Antenna Flag	105
Traversing Hillsides	106
Descending Hills	107
Sliding and Skidding	109
Riding in Water	110
NOISE AND VIBRATION CONTROL INFORMA- TION	113
Control Information	113

MAINTENANCE AND ADJUSTMENT	114
Periodic Maintenance Chart	115
Engine Oil	119
Front and Rear Final Gear Case Oil	123
Cooling System	129
Radiator and Cooling Fan:	129
Coolant:	130
Spark Plug	131
Valve Clearance	133
Air Cleaner	134
Spark Arrester	138
Throttle Cable	140
Idle Adjustment	141
Fuel Pump Filter	142
Fuel Tank Vent	142
Variable Differential Control Lever	143
Belt Drive Transmission (CVT)	144
Kawasaki Engine Brake Control System	147
Brakes	147
Front Brake:	147
Rear Brake:	150
Brake Light Switch	152
Wheels	153
Rims:	153
Tires:	153
Joint Boots	157
Power Steering System	159
Suspension	160
Headlight Beam	161
Battery	162
Fuse	166
Power Steering System	167
Breaker	168
General Lubrication	169

Cleaning	170
Bolt and Nut Tightening	172
STORAGE	174
Preparation for Storage	174
Removal from Storage	176
TRANSPORTING THE ATV	177
LIFTING THE ATV	179
TROUBLESHOOTING GUIDE	180
ENVIRONMENTAL PROTECTION	182
MAINTENANCE RECORD	183